

Advanced pipeline leak detection technologies for enhancing safety and environmental sustainability in energy operations

Peter Ifechukwude Egbumokei ^{1,*}, Ikiomoworio Nicholas Dienagha ², Wags Numoipiri Digitemie ³ and Ekene Cynthia Onukwulu ⁴

¹ Shell Nigeria Gas (SEN/ SNG), Nigeria.

² Shell Petroleum Development Company, Lagos Nigeria.

³ Shell Energy Nigeria PLC.

⁴ Independent Researcher, Nigeria.

Abstract

Pipeline leak detection is a critical component of modern energy infrastructure, playing a vital role in ensuring safety, operational efficiency, and environmental sustainability. This paper explores the evolution of leak detection technologies, highlighting the limitations of traditional methods and the transformative potential of advanced innovations. Key advancements, including fiber optic sensors, acoustic emission systems, artificial intelligence, and Internet of Things-enabled devices, have significantly enhanced monitoring systems' precision, reliability, and response time. Emerging trends such as drone-based inspections and satellite imaging extend the scope of surveillance to remote and inaccessible areas, further mitigating risks to human life and ecosystems. The paper also examines the implications of these technologies for safety, regulatory compliance, and cost-effectiveness, emphasizing their contributions to reducing environmental harm. Recommendations are provided to guide future research and adoption strategies, including enhancing affordability, fostering interoperability, and leveraging public-private partnerships. By embracing these innovations, the energy sector can achieve greater resilience and sustainability in its operations.

Keywords: Pipeline leak detection; Fiber optic sensors; Artificial intelligence; Internet of Things; Environmental sustainability; Drone-based inspections

1. Introduction

Pipeline infrastructure plays an indispensable role in energy systems worldwide. These networks transport critical resources such as crude oil, natural gas, and refined products over vast distances, ensuring the steady supply of energy required to power industries, homes, and transportation systems (Coburn, 2020). Pipelines are favored over alternative transportation methods such as trucks or ships due to their efficiency, cost-effectiveness, and reduced environmental footprint when operating optimally. Their ability to handle large volumes of fluid or gas with minimal human intervention underlines their critical importance to modern energy logistics (Öztürkoğlu & Lawal, 2016).

Despite their many benefits, pipelines pose significant challenges, particularly when leaks occur. Whether minor or catastrophic, leaks can result in severe safety hazards, including fires and explosions, endangering personnel and nearby communities (Vairo, Pontiggia, & Fabiano, 2021). The environmental repercussions are equally concerning. Leaks can contaminate soil and water bodies, disrupt ecosystems, and contribute to greenhouse gas emissions. Additionally, the economic impact of pipeline leaks cannot be understated (Akhtar, Syakir Ishak, Bhawani, & Umar, 2021). These incidents often lead to substantial financial losses due to resource wastage, repair costs, legal liabilities, and damage to

* Corresponding author: Peter Ifechukwude Egbumokei

a company's reputation. High-profile leak incidents in recent history have underscored the urgent need for robust systems to detect and mitigate such risks (Tam & Jones, 2019).

This paper aims to explore advanced leak detection technologies that are redefining pipeline safety and environmental sustainability in energy operations. By examining the limitations of traditional methods and highlighting cutting-edge innovations, this work aims to provide insights into how these advancements contribute to a safer and more sustainable energy sector. Furthermore, it underscores the need for continued research and policy support to facilitate the adoption of these technologies at scale.

2. Current State of Pipeline Leak Detection Technologies

2.1. Description of Traditional Leak Detection Methods

Traditional leak detection in pipelines primarily relies on fundamental principles of monitoring operational parameters to identify anomalies. Commonly used methods include pressure sensors, which detect sudden drops in pressure that could signal a breach in the pipeline (Adegboye, Fung, & Karnik, 2019). Flow meters, another widely utilized technology, measure the volume of fluid entering and exiting the pipeline, identifying discrepancies that suggest a potential leak. Acoustic monitoring systems have also been employed to capture sound variations within the pipeline. These systems identify unique acoustic signatures associated with leaks, which might otherwise go undetected through pressure or flow monitoring alone (Zaman, Tiwari, Gupta, & Sen, 2020). Additionally, vapor sensing techniques are often used in pipelines carrying volatile substances, detecting escaping gases and providing localized alerts. Manual inspections, such as on-ground checks or aerial surveillance, further support these automated methods, serving as verification tools for suspected leaks (Todorovic, 2020).

2.2. Limitations of Existing Technologies

Despite their utility, traditional leak detection methods have several limitations that hinder their effectiveness. One significant challenge is their inability to reliably detect small or gradual leaks (Zaman et al., 2020). Pressure sensors, for instance, may not register minor pressure fluctuations over long pipeline distances due to the dissipation of the pressure change. Similarly, flow meters are prone to inaccuracies caused by operational variations, such as changes in temperature or fluid viscosity, which can mask the indicators of leakage (El-Zahab & Zayed, 2019).

Another major drawback is the high frequency of false positives and negatives. Systems that are overly sensitive to operational noise may generate frequent false alarms, leading to unnecessary investigations and operational downtime. Conversely, low-sensitivity systems may fail to detect leaks, particularly those occurring slowly over time (Bayar, Darmoul, Hajri-Gabouj, & Pierreval, 2015).

Response time also poses a critical challenge. Many traditional systems operate on periodic data collection rather than continuous real-time monitoring, which delays the detection of leaks. This lag can lead to more extensive environmental damage and higher repair costs. While useful for confirming anomalies, manual inspections are labor-intensive, time-consuming, and impractical for extensive or remote pipeline networks (Habeeb et al., 2019).

2.3. Key Developments in Leak Detection Over Recent Years

Recent technological advancements have led to significant improvements in leak detection capabilities, addressing many of the limitations associated with traditional methods. Among the most transformative innovations is the adoption of fiber optic sensors (Adegboye et al., 2019). These sensors, integrated along the length of pipelines, detect changes in temperature, strain, and acoustic signals with exceptional precision. Fiber optics greatly enhance response times and minimize potential damage by offering real-time data and pinpointing leak locations (Ibrahim, Tariq, Bakhtawar, & Zayed, 2021).

The incorporation of machine learning and advanced data analytics has also revolutionized leak detection. Machine learning algorithms can analyze vast amounts of sensor data, identifying patterns indicative of leaks while filtering out operational noise. This reduces false alarms and ensures that operators can focus on genuine threats.

The Internet of Things (IoT) has introduced a new dimension to pipeline monitoring by enabling real-time communication between sensors and centralized control systems. IoT devices continuously transmit data, allowing for uninterrupted surveillance of pipeline operations. This real-time capability ensures immediate identification and response to leaks, significantly mitigating their impact (Ali et al., 2015).

Drones equipped with advanced imaging and sensing technologies have also gained traction as tools for pipeline inspections. These drones, often outfitted with infrared cameras and gas sensors, can efficiently survey vast areas, particularly in remote or inaccessible regions (Bailey, 2017). They complement traditional ground-based systems by providing detailed visual and chemical data on pipeline integrity. Finally, satellite technology is emerging as a groundbreaking development in leak detection. Satellites equipped with remote sensing capabilities can monitor pipelines over extensive geographical areas. By detecting environmental changes such as vegetation stress or soil discoloration, satellites provide early warnings of potential leaks. While still in the early stages of adoption, this technology offers immense potential for enhancing the scope and efficiency of leak monitoring (Gruiz, 2016).

3. Innovations in Leak Detection Technologies

3.1. Overview of Advanced Technologies

Recent advancements in technology have redefined the capabilities of leak detection systems, making them more precise, reliable, and efficient. Among these groundbreaking innovations are artificial intelligence (AI)-based analytics, which utilize machine learning to enhance data interpretation and decision-making (Corea, 2017). These systems can analyze complex patterns in pipeline data, distinguishing between operational anomalies and actual leaks with remarkable accuracy. By reducing the frequency of false alarms and improving sensitivity to minor leaks, AI-powered systems significantly enhance the effectiveness of monitoring processes.

Fiber optic sensors represent another major leap forward in leak detection technology. These sensors are integrated along the entire length of a pipeline, continuously monitoring changes in temperature, strain, and acoustic vibrations. Unlike traditional sensors that provide localized data, fiber optics deliver real-time insights across vast pipeline networks. They can identify and precisely locate even small leaks, allowing for rapid response and minimizing potential damage (Zuo et al., 2020).

Acoustic emission systems have also undergone significant development, leveraging advanced signal processing techniques to detect leak-related sounds with greater accuracy. These systems can capture subtle acoustic changes caused by fluid or gas escaping from the pipeline. This capability is particularly valuable for identifying minor leaks that might otherwise go unnoticed, further improving safety and reducing environmental risks (Gholizadeh, Leman, & Baharudin, 2015).

3.2. Role of IoT and Big Data in Real-Time Monitoring

The Internet of Things (IoT) has emerged as a transformative force in pipeline monitoring. IoT-enabled devices, embedded with smart sensors, enable seamless communication between different monitoring system components (Salam et al., 2019). These devices continuously collect data on parameters such as pressure, flow rate, temperature, and acoustic signals, transmitting this information to centralized control systems in real time. By facilitating uninterrupted monitoring, IoT systems allow operators to identify and address leaks immediately (Yang, Kumara, Bukkapatnam, & Tsung, 2019).

Big data analytics complements IoT by processing the vast amounts of information generated by smart sensors. By applying advanced algorithms to analyze this data, big data systems can identify patterns and trends that may indicate the onset of leaks (Ahmed et al., 2017). These insights empower pipeline operators to take proactive measures, such as adjusting operational parameters or conducting targeted inspections, before a minor issue escalates into a major incident.

The combination of IoT and big data also enables predictive maintenance, a strategy that uses historical and real-time data to predict equipment failures and pipeline vulnerabilities. By addressing potential problems preemptively, predictive maintenance reduces the likelihood of leaks and extends the operational lifespan of pipeline infrastructure (Sahal, Breslin, & Ali, 2020).

3.3. Emerging Trends in Remote Monitoring

Remote monitoring technologies have gained significant traction to enhance leak detection in inaccessible or expansive pipeline networks. Drone-based inspections are among the most notable developments in this area (Stankovich, Hasanbeigi, & Neftenov, 2020). Equipped with high-resolution cameras, thermal imaging sensors, and gas detectors, drones can efficiently survey large areas, identifying leaks and structural weaknesses from the air. This approach is particularly advantageous for pipelines located in challenging terrains, such as mountainous regions or offshore environments, where manual inspections are impractical.

Satellite imaging represents another promising trend in remote pipeline monitoring. Satellites equipped with remote sensing technology can detect environmental changes that may indicate the presence of a leak, such as soil discoloration, vegetation stress, or changes in surface temperature (Hemati, Hasanlou, Mahdianpari, & Mohammadimanesh, 2021). While still in its nascent stages, satellite-based leak detection holds immense potential for providing large-scale surveillance of pipeline networks. Its ability to monitor pipelines across vast and remote areas makes it a valuable complement to ground-based systems (Zhang, Zhang, Yang, Liu, & Jafari, 2021).

Another emerging technology in remote monitoring is the use of robotic systems designed to travel inside pipelines. These robots, often referred to as "pigs," are equipped with sensors and cameras to inspect the internal condition of pipelines. They can detect corrosion, cracks, and other structural anomalies that could lead to leaks. The data these robots collect gives operators detailed insights into pipeline health, enabling timely maintenance and repair (Shukla & Karki, 2016). While these innovations represent significant progress, several challenges remain in their implementation. High upfront costs, technical complexity, and the need for skilled personnel to operate and interpret advanced systems can hinder widespread adoption. Additionally, integrating these technologies into existing infrastructure may require substantial retrofitting, posing logistical and financial challenges for operators.

Despite these barriers, ongoing research and development efforts are focused on making these technologies more affordable, user-friendly, and compatible with existing systems. Collaboration between industry stakeholders, policymakers, and technology developers will be crucial in overcoming these challenges and driving the adoption of advanced leak detection solutions.

In conclusion, the innovations in leak detection technologies, ranging from AI-driven analytics to IoT-enabled monitoring and remote sensing methods, are revolutionizing pipeline safety and sustainability. By addressing the limitations of traditional methods and leveraging cutting-edge advancements, these technologies are paving the way for a more secure and environmentally responsible energy sector. As these systems continue to evolve, they promise to mitigate the risks associated with pipeline leaks and transform the way energy infrastructure is managed and maintained.

4. Implications for Safety and Environmental Sustainability

4.1. Mitigating Risks to Human Life and Infrastructure

Advanced leak detection technologies significantly enhance the safety of pipeline operations by mitigating risks to human life and critical infrastructure. Timely and accurately detecting leaks is vital for preventing catastrophic incidents such as explosions or fires, which can occur when undetected leaks release flammable substances (Idachaba & Rabiei, 2021). Technologies like fiber optic sensors and acoustic emission systems offer real-time monitoring capabilities, enabling pipeline operators to respond swiftly to potential hazards. Early detection ensures that affected areas can be evacuated and repairs initiated before minor leaks escalate into life-threatening events (Crolus, Pugh, Morris, & Valera-Medina, 2021).

Moreover, the integration of AI-powered analytics has made it possible to identify precursors to leaks, such as structural stress or gradual material degradation, before they result in failure. By addressing vulnerabilities proactively, these systems reduce the likelihood of accidents and the associated harm to workers and nearby communities (Marr, 2021). Enhanced safety measures also translate into reduced liability for operators, as implementing advanced technologies demonstrates a commitment to prioritizing safety and adhering to best practices.

In addition to human safety, advanced systems safeguard infrastructure by minimizing the extent of damage caused by leaks. Undetected or poorly managed leaks can weaken pipeline materials and lead to extensive repair or replacement costs. Modern monitoring solutions, such as IoT-enabled sensors and predictive maintenance strategies, ensure that maintenance efforts are targeted and timely, preserving the integrity of the pipeline network and extending its operational lifespan (Dancy & Dancy, 2016).

4.2. Reducing Environmental Harm and Improving Regulatory Compliance

The environmental benefits of advanced leak detection technologies are profound. Traditional methods often fail to detect small leaks, allowing harmful substances to seep into soil and water systems, causing long-term ecosystem damage (Adegboye et al., 2019). Advanced systems, such as satellite imaging and drone-based inspections, enhance the ability to detect and locate leaks in remote or sensitive areas, reducing the duration and impact of environmental contamination.

For instance, the use of fiber optic sensors to detect temperature changes enables operators to identify even minute leaks that might otherwise go unnoticed. Rapid detection and response prevent the release of large pollutants, mitigating the impact on local wildlife and vegetation. Furthermore, technologies that monitor emissions help limit greenhouse gas release, contributing to global efforts to combat climate change (Wong & McCann, 2021).

Advanced technologies also play a critical role in helping pipeline operators meet stringent environmental regulations. Regulatory agencies worldwide increasingly emphasize environmental protection and impose stricter penalties for non-compliance. By adopting cutting-edge leak detection systems, operators not only reduce their environmental footprint but also demonstrate compliance with regulatory standards. This proactive approach helps build trust with stakeholders, including governments, communities, and investors, while avoiding costly fines and legal disputes (Karkkainen, 2019).

4.3. Cost-Effectiveness and Scalability of New Solutions

While the initial investment in advanced leak detection technologies may appear high, their long-term cost-effectiveness is evident when considering the savings they generate through improved safety and efficiency (Xu et al., 2020). Technologies like AI-driven analytics and IoT systems enable operators to detect leaks early, reducing resource wastage and avoiding the high costs associated with large-scale spills or accidents. Furthermore, predictive maintenance strategies, informed by real-time monitoring data, allow operators to optimize maintenance schedules and allocate resources efficiently, resulting in substantial cost savings over time (Kalusivalingam, Sharma, Patel, & Singh, 2021).

The scalability of these technologies is another crucial factor contributing to their cost-effectiveness. Solutions like drone-based inspections and IoT-enabled sensors can be deployed incrementally, allowing operators to prioritize high-risk areas and expand coverage as budgets permit. Additionally, the decreasing cost of components such as sensors and cloud-based data processing systems is making these technologies increasingly accessible to smaller operators, ensuring that their benefits are not limited to large-scale enterprises (Bagale et al., 2021).

Emerging technologies such as satellite monitoring hold particular promise for scalability, offering comprehensive surveillance of extensive pipeline networks without requiring significant on-the-ground infrastructure. While currently in its early stages, satellite-based systems are expected to become more affordable and widely adopted as the technology matures, enabling even remote or low-resource regions to benefit from advanced leak detection capabilities (Centenaro, Costa, Granelli, Sacchi, & Vangelista, 2021). Despite their advantages, the widespread adoption of advanced leak detection technologies faces challenges, including the need for skilled personnel to operate and interpret these systems. Addressing this issue will require collaboration between industry stakeholders, educational institutions, and technology providers to develop training programs and resources that support workforce development.

5. Conclusion and Recommendations

Detection and management of pipeline leaks are crucial for ensuring energy operations' safety, sustainability, and efficiency. Traditional methods, such as pressure sensors and flow meters, have provided a foundation for leak detection but are often inadequate in identifying minor leaks promptly. Recent technological advancements have transformed this landscape, with fiber optic sensors, acoustic emission systems, and AI-powered analytics enabling more accurate and swift detection. These innovations mitigate risks, ensuring leaks are identified and managed before they escalate into significant safety or environmental issues.

The application of IoT and big data analytics has further revolutionized leak detection, introducing real-time monitoring capabilities that allow continuous oversight of pipeline networks. These advancements support predictive maintenance strategies, enabling operators to anticipate and address potential failures before they occur. Additionally, remote monitoring solutions such as drones and satellite imaging have expanded the reach of surveillance systems, particularly in inaccessible or expansive areas. These technologies improve safety and operational efficiency and align with regulatory compliance and environmental sustainability goals, addressing the broader challenges of pipeline infrastructure.

To maximize the benefits of these innovations, several steps must be taken. Affordability and accessibility remain significant barriers to adoption, especially for smaller operators or those in resource-limited regions. Research should prioritize cost reduction through innovation, such as developing affordable sensors and leveraging cloud computing to reduce infrastructure requirements. Partnerships between industry and public entities could help subsidize initial investments, making advanced technologies more accessible across the energy sector.

Another critical focus is improving the interoperability of leak detection systems. Many pipeline operators rely on diverse technologies that do not communicate effectively with one another. Developing standardized protocols and modular systems that can integrate seamlessly into existing infrastructure is essential. This would allow operators to adopt advanced technologies without the need for extensive and costly overhauls of their current systems. Such interoperability would streamline operations and enhance the overall efficiency of leak detection efforts.

The successful deployment and operation of advanced technologies also hinge on workforce readiness. A skilled workforce capable of interpreting data and managing sophisticated systems is essential. Industry stakeholders, academic institutions, and technology providers should collaborate to develop targeted training programs and certification standards. These initiatives would equip personnel with the expertise needed to operate and maintain cutting-edge leak detection systems, fostering confidence in their reliability and effectiveness.

Finally, public-private partnerships and global collaboration are vital to accelerate the adoption of advanced technologies. Governments and private companies can work together to fund pilot projects, provide incentives, and build infrastructure to support these innovations. International forums and research initiatives could facilitate knowledge sharing, enabling the exchange of best practices and lessons learned. By fostering a culture of cooperation and transparency, the energy sector can advance its adoption of advanced leak detection systems, ensuring a safer and more sustainable future for energy operations worldwide.

Compliance with ethical standards

Disclosure of conflict of interest

No conflict of interest to be disclosed.

References

- [1] Adegboye, M. A., Fung, W.-K., & Karnik, A. (2019). Recent advances in pipeline monitoring and oil leakage detection technologies: Principles and approaches. *Sensors*, 19(11), 2548.
- [2] Ahmed, E., Yaqoob, I., Hashem, I. A. T., Khan, I., Ahmed, A. I. A., Imran, M., & Vasilakos, A. V. (2017). The role of big data analytics in Internet of Things. *Computer Networks*, 129, 459-471.
- [3] Akhtar, N., Syakir Ishak, M. I., Bhawani, S. A., & Umar, K. (2021). Various natural and anthropogenic factors responsible for water quality degradation: A review. *Water*, 13(19), 2660.
- [4] Ali, S., Qaisar, S. B., Saeed, H., Farhan Khan, M., Naeem, M., & Anpalagan, A. (2015). Network challenges for cyber physical systems with tiny wireless devices: A case study on reliable pipeline condition monitoring. *Sensors*, 15(4), 7172-7205.
- [5] Bagale, G. S., Vandadi, V. R., Singh, D., Sharma, D. K., Garlapati, D. V. K., Bommiseti, R. K., . . . Sengan, S. (2021). *Small and medium-sized enterprises' contribution in digital technology*. Petra Christian University,
- [6] Bailey, M. P. (2017). Drones Take to the CPI Skies: Drones are quickly entering the chemical processing space as more companies begin to embrace their use for inspection and monitoring tasks. *Chemical Engineering*, 124(9).
- [7] Bayar, N., Darmoul, S., Hajri-Gabouj, S., & Pierreval, H. (2015). Fault detection, diagnosis and recovery using Artificial Immune Systems: A review. *Engineering Applications of Artificial Intelligence*, 46, 43-57.
- [8] Centenaro, M., Costa, C. E., Granelli, F., Sacchi, C., & Vangelista, L. (2021). A survey on technologies, standards and open challenges in satellite IoT. *IEEE Communications Surveys & Tutorials*, 23(3), 1693-1720.
- [9] Coburn, T. C. (2020). Oil and Gas Infrastructure. *The Oxford Handbook of Energy Politics*, 99.
- [10] Corea, F. (2017). *Artificial intelligence and exponential technologies: Business models evolution and new investment opportunities*: Springer.
- [11] Crolus, S., Pugh, D., Morris, S., & Valera-Medina, A. (2021). Safety Aspects. *Techno-Economic Challenges of Green Ammonia as an Energy Vector*, 221-257.
- [12] Dancy, J. R., & Dancy, V. A. (2016). Terrorism and oil & gas pipeline infrastructure: vulnerability and potential liability for cybersecurity attacks. *ONE J*, 2, 579.
- [13] El-Zahab, S., & Zayed, T. (2019). Leak detection in water distribution networks: an introductory overview. *Smart Water*, 4(1), 5.

- [14] Gholizadeh, S., Leman, Z., & Baharudin, B. (2015). A review of the application of acoustic emission technique in engineering. *Struct. Eng. Mech*, 54(6), 1075-1095.
- [15] Gruiz, K. (2016). Monitoring and early warning in environmental management. *Site Assessment and Monitoring Tools*. CRC Press, Boca Raton, FL, USA, 255-259.
- [16] Habeeb, R. A. A., Nasaruddin, F., Gani, A., Hashem, I. A. T., Ahmed, E., & Imran, M. (2019). Real-time big data processing for anomaly detection: A survey. *International Journal of Information Management*, 45, 289-307.
- [17] Hemati, M., Hasanlou, M., Mahdianpari, M., & Mohammadimanesh, F. (2021). A systematic review of landsat data for change detection applications: 50 years of monitoring the earth. *Remote sensing*, 13(15), 2869.
- [18] Ibrahim, K., Tariq, S., Bakhtawar, B., & Zayed, T. (2021). Application of fiber optics in water distribution networks for leak detection and localization: a mixed methodology-based review. *H2Open Journal*, 4(1), 244-261.
- [19] Idachaba, F., & Rabiei, M. (2021). Current technologies and the applications of data analytics for crude oil leak detection in surface pipelines. *Journal of Pipeline Science and Engineering*, 1(4), 436-451.
- [20] Kalusivalingam, A. K., Sharma, A., Patel, N., & Singh, V. (2021). Enhancing Smart City Development with AI: Leveraging Machine Learning Algorithms and IoT-Driven Data Analytics. *International Journal of AI and ML*, 2(3).
- [21] Karkkainen, B. C. (2019). Information as environmental regulation: TRI and performance benchmarking, precursor to a new paradigm? In *Environmental law* (pp. 191-304): Routledge.
- [22] Marr, B. (2021). *Data strategy: How to profit from a world of big data, analytics and artificial intelligence*: Kogan Page Publishers.
- [23] Öztürkoğlu, Ö., & Lawal, O. (2016). The integrated network model of pipeline, sea and road distribution of petroleum product. *An International Journal of Optimization and Control: Theories & Applications (IJOCTA)*, 6(2), 151-165.
- [24] Sahal, R., Breslin, J. G., & Ali, M. I. (2020). Big data and stream processing platforms for Industry 4.0 requirements mapping for a predictive maintenance use case. *Journal of manufacturing systems*, 54, 138-151.
- [25] Salam, A., Hoang, A. D., Meghna, A., Martin, D. R., Guzman, G., Yoon, Y. H., . . . Kelly, M. (2019). The future of emerging IoT paradigms: architectures and technologies. *Preprints, 2019120276*, 1803020.
- [26] Shukla, A., & Karki, H. (2016). Application of robotics in onshore oil and gas industry—A review Part I. *Robotics and Autonomous Systems*, 75, 490-507.
- [27] Stankovich, M., Hasanbeigi, A., & Neftenov, N. (2020). Use of 4IR technologies in water and sanitation in Latin America and the Caribbean.
- [28] Tam, K., & Jones, K. (2019). MaCRA: A model-based framework for maritime cyber-risk assessment. *WMU Journal of Maritime Affairs*, 18, 129-163.
- [29] Todorovic, A. (2020). Gases and vapours. In *Principles of Occupational Health and Hygiene* (pp. 242-282): Routledge.
- [30] Vairo, T., Pontiggia, M., & Fabiano, B. (2021). Critical aspects of natural gas pipelines risk assessments. A case-study application on buried layout. *Process Safety and Environmental Protection*, 149, 258-268.
- [31] Wong, B., & McCann, J. A. (2021). Failure detection methods for pipeline networks: From acoustic sensing to cyber-physical systems. *Sensors*, 21(15), 4959.
- [32] Xu, Z., Liu, W., Huang, J., Yang, C., Lu, J., & Tan, H. (2020). Artificial intelligence for securing IoT services in edge computing: a survey. *Security and communication networks*, 2020(1), 8872586.
- [33] Yang, H., Kumara, S., Bukkapatnam, S. T., & Tsung, F. (2019). The internet of things for smart manufacturing: A review. *IIEE transactions*, 51(11), 1190-1216.
- [34] Zaman, D., Tiwari, M. K., Gupta, A. K., & Sen, D. (2020). A review of leakage detection strategies for pressurised pipeline in steady-state. *Engineering Failure Analysis*, 109, 104264.
- [35] Zhang, T., Zhang, W., Yang, R., Liu, Y., & Jafari, M. (2021). CO2 capture and storage monitoring based on remote sensing techniques: A review. *Journal of cleaner production*, 281, 124409.
- [36] Zuo, J., Zhang, Y., Xu, H., Zhu, X., Zhao, Z., Wei, X., & Wang, X. (2020). Pipeline leak detection technology based on distributed optical fiber acoustic sensing system. *IEEE access*, 8, 30789-30796.